

MS3-MaxiSteri14

Bacti-cinerator Sterilizer, Micro incinerator

Bacti-cinerator Sterilizer uses infrared heat sterilization, because it is easy to use, simple to operate, no open flame, no fear of wind, substitute alcohol lamp, safe to use, can be widely used in the environment of biosafety cabinet, purification workbenches, suction fans and mobile vehicles, for microbiological experiments.

Based on the principle of electronic infrared, the products are widely used in the sterilization of inoculation ring sor inoculation needles, completely replacing alcohol lamps.

The temperature inside the heating hole can reach 800°C or above, sterilization takes only 5-7 seconds and sterilization is through. The product can be used in an anaerobic chamber.

Small volume, light weight, appearance and easy to clean. Heating body can adjust angle, easy operation.

Organic substances in the ceramic funnel pipe depths ashing prevent infectious spatter and cross contamination.



Specification	MS3-MaxiSteri14
Center Max. temp.	825°C±50°C
Low Level Temp.	480°C
Heating Speed	20min (to max. temp.)
Max. Sterilize Diameter	φ14mm
Heating Element Lenght	140mm
Adjustable Angle	75° - 120°
Voltage	AC 220V 50/60Hz
Power	230W
Fuse	250V, 2A/3A, φ5x20
Dimension	W.87 x D.151 x H.160mm
Net Weight	1kgs



We reserve the right to change the specifications at any time without prior notice.